

Chestnuts production in Portugal - Situation 2025-

Ma João Gaspar, C. Ramos, M. E. Gouveia, J. Pereira, A. Pires, J. G. Laranjo

XV Jornadas Europeas de la Castaña 2025




RefCast - Associação Portuguesa da Castanha

Aracena, 2025




Production





60 000 tons expected per year.







Made with > Napkin










PDO Terra Fria









Production volume 28000 t.


Main variety

Longal
other:
Boaventura
Judia










Production Regions

PDO PADRELA





Area size 6600 ha Production volume

13200 t


Main variety

Judia other: Côta Lada










PDO Soutos da Lapa





Production volume

7200 t

Area size

6000 ha

Production Regions



Main variety


Martainha





PDO Marvão Portalegre

Bispa Bispa Pont Contro PORTDIAL Basanz Basanz Fors Basanz Action Fors Fo



Area size

Production volume

720 t

Main variety

Colarinha

Bária









Production Regions

Minho Region







Area size Pro

Production volume
1000 t.


Main variety

Amarelal










Madeira Island





Area size

Production volume

90 t

Main variety

St António
Coração de Boi








Açores (Terceira island)

Production Regions












Area size 52 ha Production volume


146 t

Main variety
Viana



Area and production 1980 - 2024







Producer price 2009 - 2024









Trade balance









Perspetives for 2025

The climate

Accumulated Temperature










Perspetives for 2025

The climate

Precipitation accumulated during the year



Fires in the region of Soutos da Lapa







We may have losses of around 40% in production in this region



Perspectives for 2025

- Pollination was normal.
- Above-normal rainfall until May. However, from May onwards, rainfall was scarce until the end of August;
- In September, there was still no rain. This slowed the growth of hedgehogs and led to smaller sizes;
- High mortality of chestnut trees due to ink disease;
- Some areas with large gall wasp attacks were observed again, although trees recovered;
- Uncertainty regarding *Gnomoniopsis* and Septoria disease
- Harvest prospects are higher than in 2024, ~35,000-40,000 tons).









